


LOCKS & KEEPERS - swing gates

A wide range of Locinox products are engineered to fit Chain Link gates. Our locks and keepers fit the round frames with the help of round adapter plates. This way, chain link gates can be properly secured.

Locinox Locks & Keepers are WORRY-FREE

- ✓ Bolt on solution
- ✓ No welding
- ✓ Weather Resistant
- ✓ Tested for 500K cycles
- ✓ Easy install
- ✓ All-in-one solution

STANDARD LOCK (LAKQ U2)

9005 ZILV



- ✓ Withstands 1000h salt spray test (20 years)
- ✓ 3/4" bolt adjustment for minimum gate frame size
- ✓ Stainless steel mechanism
- ✓ For left or right hand gates

SECURITY KEEPER (SHKL)

9005 ZILV



- ✓ Rubber finish for silent closing
- ✓ For left or right hand gates
- ✓ Adjustable for profiles 1-1/2" to 2-1/2"

ALL-IN-ONE MECHANICAL CODELOCK (FREE VINCI or VINCI)

9005 ZILV

FREE EXIT (LFKQ)




2 SIDED (LMKQ)



100% MECHANICAL

- ✓ Withstands 1000 h salt spray test (20 years)
- ✓ 3/4" bolt adjustability for minimum gate frame size
- ✓ For left or right hand gates
- ✓ Order adapters for round profiles



ELECTROMAGNETIC LOCK (MAG OR MAGMAG)


9005 ZILV

12V DC 24V DC





- ✓ Holding force tested on every Maglock
- ✓ 500h salt spray resistant - SGS Certified
- ✓ Easy installation (2 Quick-fix bolts)
- ✓ No milling or grinding



ADAPTERS & CHAIN LINK ACCESSORIES

Order codes for accessories

3019LA	-	Round adaptor plate for locks
CLH	-	Tension bar adaptor for locks - not codelocks
3018LA	-	Round adaptor plate for standard keeps, maglocks
6403	-	Round adaptor plate for secure keeps and drop bolts
5121	-	Mounting bracket 4" x 1-7/8"

Order sizes for locks

3030	-	For residential gate frames 1-3/8"
4040	-	For commercial gate frames 1-5/8" to 1-7/8"


SURFACE MOUNT ELECTRIC STRIKE - FAIL CLOSE (MODULEC)

9005 ZILV



- ✓ Compatible with bolt on locks
- ✓ Includes dead bolt receiver
- ✓ For profiles of min. 1-1/2"
- ✓ Easy install - no milling or grinding
- ✓ Energy efficient
- ✓ Industrial quality
- ✓ 660 lbs. holding force on latch bolt

12V AC/DC 24V AC/DC



LOCKS & KEEPERS - slide gates

MECHANICAL CODE LOCK
(LEONARDO)

9005 ZILV



STANDARD SLIDE GATE LOCK
(LSKZ)

9005 ZILV



- ✓ Round adapter to be ordered seperately
- ✓ Withstands 1000h salt spray test (20 years)
- ✓ Key lockable
- ✓ Stainless steel mechanism

KEEPER FOR SLIDE GATE LOCK
(SSKZ OR O-SET)




- ✓ 3/8" horizontal tolerance
- ✓ Rubber stop
- ✓ For posts of min. 3"



GATE CLOSER

SAMSON-2 GATE CLOSER (ORDER BRACKETS SEPARATELY)

3 YEAR WARRANTY





- ✓ Adjustable closing speed and final snap
- ✓ Industrial quality for outdoor use
- ✓ Hydraulic damping, unaffected by temperature changes



Order codes

SAMSON-2	- Gate closer
SB-3015	- Mounting bracket 3" x 1-5/8"
SB-3020	- Mounting bracket 3" x 1-7/8"
SB-4015	- Mounting bracket 4" x 1-5/8"
SB-4020	- Mounting bracket 4" x 1-7/8"

3 YEAR WARRANTY

3 YEAR WARRANTY

For all mechanical products. 2 year warranty for all electric and electronic products.

HINGES

STAINLESS STEEL J-BOLT (GAM12-150)



- ✓ Black steel welding ears
- ✓ Hinge axle M12
- ✓ Gates up to 220lbs

180° WELD-ON HINGE (GBMU)



- ✓ Eyebolt, bolt & nut, hot-dip galvanised
- ✓ U-shaped ear plate and groove plate in black steel to weld on
- ✓ Gates up to 440lbs

PANIC HARDWARE & EASY EXIT HANDLES


PANIC RELEASE BAR (PUSHBAR-L)



- ✓ Anodised black aluminum
- ✓ Order with Chain link lock or mechanical codelock for free exit
- ✓ Easy to install



PUSH PADDLE PANIC RELEASE (3006-PUSH)





- ✓ Anodised black aluminum
- ✓ Order with Chain link lock or mechanical codelock for free exit
- ✓ Easy to install

BLOCKING KNOB SET - STOREROOM (3006-KR)



The kit permits the following combinations:

- ✓ 1 side blocked - 1 side working (storeroom)
- ✓ 2 sides blocked
- ✓ 2 sides working (movable)

DROPBOLTS

KEY LOCKABLE DROP BOLT (KEYDROP)

9005 ZILV



- ✓ Throw of 5-1/2"
- ✓ Easy installation with Quick-Fix
- ✓ Adjustability of the bolt
- ✓ Industrial quality & design

GROUND CATCH FOR DROP BOLTS (EGS)



- ✓ In-ground catch designed to put in concrete
- ✓ Hot dip galvanized base-plate

STANDARD DROP BOLT (VSF or VSA)



- ✓ Throw of 5-1/2"
- ✓ Aluminum or Hot Dip Galvanized bolt
- ✓ Auto-locking between gate
- ✓ Easy installation with Quick-Fix



100% Quality



- Solid stainless steel bolts
- Adjustment of the bolts up to 3/4" without removing the lockbox
- Throw of 7/8" in 1 turn of the key
- Key-operated self-latching bolt
- Easy left or right hand changing of the self-latching bolt
- Tested on a minimum of 500,000 cycles

- Aluminum diecast lockbox
- KTL powdercoating : 1000h salt spray resistant

- Handle in anodized aluminum or zamac
- Corrosion resistant: 1000h salt spray resistant

- Mechanism: 100% stainless steel

- Europrofile cylinder 27/27 (60% brass)
- Cylinder size independent of profile size
- Available cilinders: re-keyable KwikSet 5 pin, or Schlage 5 or 6 pin keyway

- Mounted on the inside of the post
- Minimum Gap: - Regular Lockbox 3-3/4"
  - Small Lock box 3-3/8"
- Flush Mount "I-kit" available
- Resists 3000 lbs holding force



LOCINOX
Let's make better fences together

Discover all our Brochures on

www.locinoxusa.com

- Locks
- Gate Closers
- Chainlink
- Pool & Park
- Access Control
- Ornamental

MODULARITY

All our products are designed for maximum interchangeability, for easy configuration or replacement.

EASE OF INSTALLATION

All our products are fast and easy to install. Even when installing on site, thanks to the Quick-Fix.

TRUSTED QUALITY

Every product is tested a minimum of 500k movements.

WEATHERPROOF RUSTPROOF

All Locinox products are tested in the most extreme circumstances and work in all seasons

3 YEAR WARRANTY

3 YEAR WARRANTY

For all mechanical products. 2 year warranty for all electric and electronic products.

LEFT AND RIGHT

Every Locinox product is designed to use for both left and right handed gates.

24h SHIPPING

24H SHIPPING

Every order will be shipped within 24 hours.

FULL SUPPORT

Our team of fence experts are at your service for any information you might need or any question you might have.

LOCINOX USA LLC
460 Windy Point Drive
Glendale Heights, IL 60139

708 579-0286
salesusa@locinox.com
www.locinoxusa.com

LOCINOX

Let's make better fences together



CHAINLINK SOLUTIONS

Built to last!